## Constructing a Joint Problem Space: The Computer as a Tool for Sharing Knowledge

# Stephanie D. Teasley

Learning Research and Development Center
University of Pittsburgh

## Jeremy Roschelle

Division of Math, Science, and Technology School of Education University of California, Berkeley

## Appeared as

Roschelle, J. & Teasley, S.D. (1995). Construction of shared knowledge in collaborative problem solving. In C. O'Malley (Ed.), Computer-supported collaborative learning. New York: Springer-Verlag.

This work was partially supported by an internship program at The Institute for Research on Learning, Palo Alto, CA, as well as the Andrew W. Mellon Foundation and an OERI grant to the Center for the Study of Learning.

The order of the authors' names is arbitrary. Earlier drafts of this paper circulated under the first author's former name, Stephanie D. Behrend.

Substantial portions of this paper were presented at a 1989 NATO workshop on "Computer Supported Collaborative Learning" and appear as: Roschelle, J. & Behrend, S.D. (1991) The construction of shared knowledge in collaborative problem solving. In O'Malley, C.E., (Ed.) *Computer Supported Collaborative Learning*, New York: Springer-Verlag.

#### Constructing a Joint Problem Space: The Computer as a Tool for Sharing Knowledge

This chapter presents a case study intended to exemplify the use of a computer as a cognitive tool for learning that occurs socially. We investigate a particularly important kind of social activity, the collaborative construction of new problem solving knowledge. Collaboration is a process by which individuals negotiate and share meanings relevant to the problem solving task at hand. The essential property of collaborative problem solving, we argue, is that it enables the construction of a shared conceptual structure which we call a Joint Problem Space. The Joint Problem Space (JPS) supports problem solving activity by integrating semantic interpretations of goals, features, operators and methods. We propose that the fundamental activity in collaborative problem solving occurs via the students' participation in the creation and maintenance of a JPS.

We examine learning within a computational context in order to address the question of how students construct shared meanings in model-building activities. We hold modelling to be one of the central activities of the scientific community — understanding a concept and having a model are closely related properties of cognition. We focus on qualitative modelling. Specifically, we want students to learn qualitative modelling with the Newtonian concepts of velocity and acceleration, and thereby gain deep access to key concepts of Newtonian science. The computer simulation we use, the Envisioning Machine, was designed specifically to portray a graphical, dynamic simulation of a physicists' mental model of velocity and acceleration. The design of the Envisioning Machine (see Roschelle, 1990) is intended to both enable and mediate students' learning-- it enables students to construct qualitative understanding of velocity and acceleration, and mediates their discourse about the meaning of those concepts for the activity of modelling motion.

Research from a broad variety of sources has led us to consider that cognitive representations are built through social interaction and activity, in addition to individual cognition. Several prominent learning theorists have for some time argued that learning is a fundamentally social activity (e.g., Dewey, 1923; Mead, 1934; Piaget, 1932; Vygotsky, 1978). In the scientific community, concepts and models are increasingly seen as social constructions resulting from face-to-face participation in scientific activities. In particular, research in the sociology and philosophy of science has turned away from the picture of scientists as being purely objective, socially isolated, and detached from practical activity (e.g. Knorr-Cetina, 1983, Latour, 1986, Lynch, 1985). From these reports, we conclude that learning to be a scientist is as much a matter of (1) forms of participation in social activity and (2) negotiation of shared meanings, as it is of (3) internalizing scientific representations and operations.

Our work therefore views activity, communication, and representation as mutually constitutive aspects of knowing, rather than separately implemented modules. While research in the last of these areas, modelling representations, is the most familiar to cognitive scientists, there has been substantial progress in the other areas as well. Work in the fields of Conversation Analysis and Interaction Analysis are

advancing the scientific understanding of how people negotiate meaning (e.g., Goodwin, 1981; Schegloff, in press). Work in Activity Theory, particularly from Soviet scholars, is proving to be useful in analyses of learning activities (e.g. Engeström, 1987; Wersch, 1981). As a long term goal, we see great opportunity for progress in understanding shared mental models by incorporating theory and methods of Cognitive Science, Conversation Analysis, and Activity Theory. This chapter takes a step in that direction by explicating the problem solving activity of one of the most collaborative dyads we have studied. We add to the growing body of microanalytic research (Schoenfeld, Smith, & Arcavi, in press; Meria, 1991; Moskovich, 1991; diSessa, Sherin, Hammer, & Kolpakowski, in press) which shows how social activity, communication, and representation are inextricably bound together.

#### The Task: The Envisioning Machine

Gary and Sam, the students we report on, were 15 year old males who were taking a summer course in statistics at the University of California, Berkeley. They were comfortable working together as they had been collaborating on a computer project in the statistics course. They did not have any formal physics training. (Gary, however, had done some reading about physics on his own.) The subjects were asked to work together on an activity involving a computer simulation called "The Envisioning Machine" (Roschelle, 1986, Roschelle, 1991).

The Envisioning Machine (EM) is a direct-manipulation graphical simulation of the concepts of velocity and acceleration. Figure 1 illustrates the screen of the EM. There are two windows, the "Observable World" and the "Newtonian World." The Observable World displays a simulation of a ball moving across the screen. This represents the goal motion. The Newtonian World displays a particle with velocity and acceleration vectors (the thin and thick arrows, respectively). Using the mouse, the user can manipulate the settings of these vectors. When the simulation is run, the particle in Newtonian World moves with the initial velocity indicated by the velocity vector and the acceleration indicated by the acceleration vector. In both worlds, the moving objects leave a trace of dots behind them as they move. Because the dots are dropped at a uniform time interval, the dot spacing represents speed. All the motions displayed by the EM are constant velocity or constant acceleration motions.

The specific EM activity used in this study involved matching the goal motion displayed in the Observable World by adjusting velocity and acceleration vectors on the particle displayed in the Newtonian World. This activity was called a "challenge." Typically, solving a challenge requires a series of trials in which the students watch the motions in the Observable and Newtonian Worlds, adjust the vectors of a particle in the Newtonian World, run the simulation, and evaluate whether the two motions were the same. Since the students had not previously studied velocity and acceleration, they needed to experiment with the simulation in order to learn how to adjust the vectors to produce motions that matched motions in the Observable World. Moreover, since the computer did not give explicit feedback on the correctness of a solution, students develop their own criteria for determining whether two motions were "the same."




Figure 1: The Envisioning Machine

The subjects worked on the EM activity in three sessions, each about 45 minutes long. We will discuss only one challenge from the first session of Gary & Sam's work. The session had the following format: In the beginning of this session, Gary & Sam were instructed on how to use the mouse to do the EM activity. During these instructions, the vectors were given neutral names, "the thin arrow" and "the thick arrow," rather than the more theory-laden terms "velocity" and "acceleration." The task was described as "making the motions the same," though the meaning of "the same" was not specified. Thus the instructions left the meaning of the task substantially underdetermined. After the instructions, Gary & Sam were asked to "work together" on a series of ten challenges. Each challenge consisted of matching a different Observable World motion by adjusting the arrows in the Newtonian World. When the subjects finished the challenges, about 45 minutes later, they were interviewed about what they had learned.

#### The Envisioning Machine Design: Fidelity and Mediation

As discussed in Roschelle (1990), the Envisioning Machine design has been characterized from two perspectives: fidelity and mediation. The fidelity perspective examines the degree of correspondence between the external display and the presumed mental model of a physics expert. Indeed, the original design (e.g. Roschelle, 1986) was inspired by the opportunity to construct an external display that corresponded to the form of experts' mental models. Roschelle and Greeno (1987) observed that experts constructed robust understanding of situations by relating two behavioral models, a commonsense model of an observable situation and a theoretical model incorporating scientific entities. The dual window design of the EM reflects the desire to have students develop similar understandings of the relationships between observable motions and Newtonian models of motion.

The fidelity perspective generally presumes a correspondence theory of representation: a better correspondence between an external display and expert mental model should support better internalization of scientific knowledge. The correspondence representation theory and the associated internalization learning theory has proved to be too simplistic to account for the relationships between physical displays and conceptual entities. In particular, students do not necessarily interpret the display that a scientist would, and therefore the crucial aspects of the display which correspond to a scientists' mental model are not necessarily available to them (Roschelle, 1991). It is a mistake to assume that students' interpretation of a high fidelity display will be isomorphic to an experts' interpretation, even after they have substantial opportunities to interact with the display as a representation system.

A mediation perspective instead focuses on the use of external displays as tools for negotiating meaning, and builds from a Pragmatic (e.g. Dewey, 1932) rather than a correspondence theory account of representation. Rather than seeking a perfect denotational relationship between external sign and internal concept, the mediation perspective accepts that interpretation is inherently uncertain, especially to newcomers to a particular community. Definitions, regardless of their degree of fidelity or their form (verbal or graphical), cannot enable a non-scientist to understand precisely what a scientist means. A mediation perspective therefore leads designers to construct external displays that will bridge the gap between commonsense and scientific interpretations by providing an enriched situation to act in and talk about. Careful attention to mediation leads to design decisions orthogonal to issues of fidelity: direct manipulation for communication, persistence, minimalism, and authentic activity. Roschelle (1990) presents a detailed report of how careful attention to the mediational properties of the display led to concrete design changes in the EM.

#### What is Envisioning Machine Knowledge?

Since our goal is to examine the construction of *shared* knowledge in collaborative problem solving, it is necessary to discuss the nature of the physics knowledge involved in solving the EM activity. Roschelle (1991) presents a competence model of EM problem solving and shows that it accounts for key aspects of students' problem solving performances. In this model, the EM activity is seen as a form of difference-reduction: students try to reduce the differences between the motion they control in the Newtonian World and the goal motion in the Observable World. This difference-reduction takes place in two stages: First, students set the directions of the vectors to match the overall shape of a motion. Second, students set the lengths of the vectors to match the speed at which the particle moves along the shape. The types of knowledge corresponding to these two stages are knowledge of *configurations* and knowledge of *qualitative proportionalities*.

Configurations relate the direction of the vectors to the shape of the motion produced. The velocity vector always points in the direction that the motion begins in. Depending on the angle between the acceleration vector and the velocity vector, motions with qualitatively different characteristics are produced. For example, when the velocity and acceleration vectors are collinear and opposed, the motion will go out and come back along a straight line. The Envisioning Machine motions can be categorized into four shapes with four corresponding configurations, as in Table 1 below.

**Table 1: Configurations** 

<u>Shape</u>	Direction of Vectors
Straight, Constant Speed	no acceleration
Straight, Speeding Up	acceleration in same direction as velocity
Straight, Turns Around	acceleration in opposite direction to velocity
Curve	acceleration at an angle to (not collinear with) velocity

Within each configuration, it is still necessary to determine the proper length of each arrow. Clues for the correct lengths can be found by comparing the Newtonian and Observable World motions. For example, if the dot spacing in the Newtonian World is greater than the dot spacing in the Observable World, then the velocity vector in the Newtonian World is too long. We call relationships of this form "Qualitative Proportionalities" after similar representations developed by computer scientists investigating qualitative reasoning (see Bobrow, 1986). A qualitative proportionality is a relationship between two variables that states that an increase in one variable will result in an increase in the other. The relationship between dot spacing and length of the velocity vector could be stated as "the dot spacing is qualitatively proportional to the length of the velocity vector." Table 2 lists some qualitative proportionalities that students use to solve the EM task.

**Table 2: Some Qualitative Proportionalities** 

Property of Motion		Length of Vector
Initial speed, dot spacing	proportional to	velocity
Time to reach apex	proportional to	velocity and inversely to acceleration
Height of apex	proportional to	velocity and inversely to acceleration

Roschelle (in preparation) argues that EM knowledge, as described above, is a valuable form of physics knowledge. Although it is outside the scope of this chapter to argue for this view, the line of reasoning is as follows: EM knowledge, as described above, encodes qualitative regularities in the behavior of the EM. The EM's behavior, in turn, is based on the mathematical definitions of velocity and acceleration. Thus the qualitative regularities of the EM are also qualitative regularities in the concepts under their formal definitions. Learning the EM is therefore also learning specific qualitative descriptions of velocity and acceleration. Such qualitative descriptions are particularly important for understanding how physics laws apply to everyday situations.

#### Framework for Analyzing Collaboration

An examination of students' discourse and activity as they work together allows us to understand how the social interaction affects the course of learning. This necessitates a microanalysis of not only the content of students' talk, but also of how the pragmatic structure of the conversations can result in shared knowledge. In particular, it requires understanding how students use coordinated language and action to establish shared knowledge, to recognize any divergences from shared knowledge as they arise, and to rectify misunderstandings that impede joint work. To accomplish this aim, we draw on ideas from pragmatics (e.g. Levinson, 1983), conversation analysis (e.g. Schegloff, 1981), and protocol analysis (Ericsson & Simon, 1980) to describe how the communicative exchanges function to construct and

<sup>&</sup>lt;sup>1</sup> The definitions read, "Velocity is the derivative of position with respect to time and acceleration is the derivative of velocity with respect to time."

maintain a Joint Problem Space. In coordination with an analysis of the development of students' physics knowledge, we are able to identify how social interaction promotes or inhibits learning in key segments of the problem solving process.

Recent work on the coordination of meaning in conversations has stressed that mutual intelligibility is the result of local, interactional work of the participants. Conversants establish shared meaning via the construction and accumulation of a common ground, a body of shared knowledge (Clark & Schaefer, 1989). Meaning can be coordinated and mutual intelligibility achieved because conversants provide constant evidence, positive and negative, that each utterance has been understood, and engage in repairs when it has not (Schegloff, in press).

In our analysis of collaborative learning, we take the point of view that students' work is based on a shared conception of the task. We enlarge the notion of common ground, which has origins in the study of ad hoc conversations, and apply it to the study of a socially-organized task-oriented activity: collaborative problem solving. In doing so, we synthesize the construct of common ground with a cognitive analysis of problem solving activity. This enables us to apply a Conversation Analytic approach to a situation in which the topic of conversation is a structured problem solving domain.

Before we can begin to analyze the process of collaboration, it is useful to be specific about which phenomena we seek to understand. "Collaboration" is a broadly used term which serves to describe a wide variety of behaviors. In the most general sense, collaboration is said to have occurred when more than one person works on a single task. For our purposes, however, it is helpful and in fact necessary, to draw some specific parameters around what we refer to as collaboration. The following definition delineates the kind of behavior we have focused on:

Collaboration is a coordinated, synchronous activity that is the result of a continued attempt to construct and maintain a shared conception of a problem.

We make a distinction between "collaborative" versus "cooperative" problem solving. Cooperative work is accomplished by the division of labor among participants, as an activity where each person is responsible for a portion of the problem solving. We focus on collaboration as the mutual engagement of participants in a coordinated effort to solve the problem together. We further distinguish between synchronous (i.e. working together at the same time) and asynchronous activity. Although we do not propose that collaboration cannot occur in asynchronous activity (e.g. "Distance Learning"), we focus on face-to-face interactions, which can only occur as a synchronous activity.

The notion of "a shared conception of the problem" is central to our work. We propose that social interactions in the context of problem solving activity occur in relation to a *Joint Problem Space*. The Joint Problem Space (JPS) is a shared knowledge structure that supports problem solving activity by integrating (a) goals, (b) descriptions of the current problem state, (c) awareness of available problem solving actions,

and (d) associations that relate goals, features of the current problem state, and available actions. As the microanalysis described below will make clear, we propose that the fundamental activity in collaborative problem solving occurs via engagement with an emergent, socially-negotiated set of knowledge elements that constitute a Joint Problem Space.

Specifically, we hold that collaborative problem solving consists of two concurrent activities, solving the problem together and building a JPS. These activities necessarily co-exist. Conversation in the context of problem solving activity is the process by which collaborators construct and maintain a JPS. Simultaneously, the JPS is the structure that enables meaningful conversation about problem solving to occur.

The JPS is a pragmatic, rather than an ideal structure. The overlap of meaning in the collaborator's common conception of the problem is not necessarily complete or absolutely certain. Rather this overlap is sufficient to gradually accumulate shared concepts and allow convergence on certainty of meaning.

Thus to build a JPS, collaborators must have ways of:

- introducing and accepting knowledge into the JPS,
- monitoring on-going activity for evidence of divergences in meaning, and
- repairing divergences that impede the progress of the collaboration.

There are a number of structured discourse forms that conversants use in everyday speech to achieve similar goals in the service of mutual intelligibility. These forms utilize language, bodily action, and combinations of words and actions. Our analysis will shows that students can use the structure of conversation to continually build, monitor and repair a JPS. Below we discuss some of the categories of discourse events that have proved useful for our analysis. A complete review of discourse analysis is outside the scope of the paper (see Levinson, 1983, for a review). Of the categories we discuss, turntaking is the most pervasive and general. Specific turn-taking forms contribute to various aspects of joint problem solving activity. Socially-Distributed Productions provide means for introducing and accepting problem solving knowledge into the JPS. Narrations and Question-Answer pairs enable students to monitor each other's interpretations. Repairs offer a means to rectify divergent interpretations. Coordinations of language and action also prove important for introducing, monitoring, and repairing knowledge in the JPS.

<u>Turn-Taking</u>. Communication between individuals follows a well-specified form of turn-taking that has been extensively described by linguists and sociologists (see Schegloff & Sacks, 1973). Discourse units such as questions, acceptances, disagreements, and repairs represent various specific discourse forms available for taking a conversational turn. The flow, content, and structure of turns is used as a measure of whether the participants in a conversation understand each other (see Clark & Schaefer, 1989). Similarly, in our analysis of student's collaborations, we propose that the ongoing structure of turn-taking

sequences is an indication of the degree to which students share common problem representations. In analyzing collaborative work, we look for dialog in which turn transitions are smooth, and the sequence of talk follows a cooperative pattern. In periods of successful collaborative activity, students' conversational turns build upon each other and the content contributes to the joint problem solving activity.

In addition to joint work, collaborative problem solving includes periods in which partners are not fully engaged with each other. Partners occasionally withdraw from the active interaction with their partner to work on ideas that are too ill-formed or complicated to be introduced into the shared work. These periods are marked in the interaction by periods of significant next-turn deviations such as non-acceptances, disagreements, and empty turns. In a successful collaboration, such periods of withdrawal are usually followed by periods of intense interaction which serve to incorporate the individual insight into the shared problem solving knowledge.

Socially-Distributed Productions. One type of turn-taking structure particularly useful in understanding the production of shared problem solving knowledge is the "collaborative completion." As described in the work of Lerner (1987) and Wilkes-Gibbs (1986), a collaborative completion distributes a compound sentence over discourse partners. That is, one partner's turn begins a sentence or an idea, and the other partner uses their next turn to complete it. One especially relevant type of compound sentence has IF-THEN form. In an IF-THEN collaborative completion, the antecedent and consequent are produced on separate turns. The distribution of the IF-THEN across turns provides an opportunity for partners to accept or repair conditional knowledge.

We call an IF-THEN collaborative completion a "Socially-Distributed Production," because its content consists of a production rule, while its form is socially-distributed across turns. We will also include in this category IF-THEN sentences that are delivered in installments, with the conversational partner producing acceptances in subsequent turns. An SDP may be a particularly effective means for constructing shared knowledge because it spreads the interrelated goals, features, and actions of a knowledge element across conversational turns. This provides multiple opportunities for partners to contribute to the construction and verification of the new piece of shared knowledge.

Repairs. Since the collaboration process involves periods of individual activity, collaborative activity also produces periods of conflict in which individual ideas are negotiated with respect to the shared work. These periods of conflict usually signify a breakdown in mutual intelligibility, rather than the collaboration *per se.* In fact, the attempts to reduce conflict by resolving misunderstandings are evidence of the dyad's preference for a working style in which a shared conception of the problem is maintained. Often these attempts take the form of "repairs." Repairs are the method by which participants in talk can deal with problems or troubles in speaking, hearing, or comprehension of dialog (see Schegloff, Jefferson, and Sacks, 1977). According to Schegloff (in press), repairs are a major means for the achievement and

consolidation of understanding and thereby the management of the mutual intelligibility of the collaborative problem solving activity.

Without successful repairs, breakdowns in mutual intelligibility continue longer. Both partners use justifications, counter-suggestions, assertions and elaborations in their attempt to get their partner coordinated. Occasionally, failures to reestablish mutual intelligibility (unsuccessful repairs) lead to the students abandoning the current problem. This can be seen when partners give up on a particular challenge or give up a particular aspect of the challenge. In the course of the session, students may return to the particular challenge or problem area, and may resolve the impasse in the shared understanding or continue by working around the impasse.

Narrations. Narrations are a verbal strategy that enable partners to monitor each other's actions and interpretations. In the EM activity, only one partner can carry out actions with the mouse at a time. These actions may be difficult for the other partner to interpret, because every action can correspond to a number of possible of intentions. Narration informs one's partner of the intentions corresponding to actions. This enhances the partner's opportunities to recognize differences in the shared understanding. Continued attention to narrations and accompanying action can signal acceptances and shared understandings (Clark & Schaefer, 1989). Interruptions to narrations create an immediate opportunity to rectify misunderstandings. Narrations are also useful for the participants to signal that an action is not intended to contribute to the current shared goal; a statement like "I just want to see what this does" signals that the actor is no longer working on the task at hand, but rather is exploring a novel situation.

Language and Action. Although there are many examples of narratives in collaborative activity, students are not wholly dependent on language to maintain shared understanding. In fact, one major role of the computer in supporting collaborative learning is providing a context for the production of action and gesture. Action and gesture can both serve as presentations and acceptances. An action or gesture can serve as an acceptance when one partner interprets the other partner's utterances by performing an action. Since most of the utterances contain indexical, ambiguous references, the production of the appropriate action both accepts and confirms a shared understanding of the task. Actions and gestures can likewise serve as presentations of new ideas. Partners often use their hand or the computer mouse to demonstrate an idea. In this case, the partner's ability to successfully interpret the action through an utterance is an indication of mutual intelligibility and acceptability of the idea. The simultaneous production of matching language and action by separate partners can also produce an effective division of labor: while one partner concentrates on carrying out actions, the other concentrates on producing utterances that make the intentions behind the actions available for commentary and repair.

#### **Challenge Six**

Our goal in the remainder of this chapter is to exemplify the analysis of the process of collaborative problem solving from the point of view of the JPS. Our approach will to be to look in detail at the Gary and

Sam's construction of a shared conception of the task in challenge six, which was the sixth motion that they worked on. These students began challenge six about eleven minutes into their session and finished it about eight minutes later.

In challenge six, the motion of the ball in the Observable World is analogous to that of a ball tossed straight up in the air; it starts upward, slows down, instantaneously pauses at the top, then accelerates downward. (See figure 2). To construct this motion in the Newtonian World, subjects must set the direction of the velocity vector upward and the acceleration vector downward. In addition, to exactly copy the Observable World motion, the subjects must appropriately adjust the lengths of both vectors. Two earlier challenges these students investigated also required an acceleration vector, but challenge six is the first challenge that they have seen in which the acceleration opposes the velocity.




Figure 2: The Goal Motion in Challenge 6

The detailed analysis that follows shows that the students progressed through challenge six in two main stages. First, they established the correct directions for the Newtonian World vectors. Second, they determined the correct lengths for the vectors. The settings of velocity and acceleration at key moments during the challenge are illustrated in figure 3. The setting in figure 3b, which the participants achieved at the end of episode 6-2, shows correct setting of the directions of the vectors, in contrast to 3a. Later, the participants adjusted the lengths of the vectors for a better match to the Observable World motion. Figures 3c and 3d respectively illustrate a close approximation and the exact setting of the lengths.

The transcript<sup>2</sup> of language and action during challenge six will be presented in a series of "episodes." The boundaries for each episode were chosen to be consistent with events in the collaboration, although their exact size was determined for ease of exposition. The contents of the episodes are roughly as follows: In Episodes 6-1 and 6-2, the students constructed knowledge of the configuration of vectors required to produce the shape of the challenge six motion. In the remaining episodes, they focused on setting the lengths to match the motion more closely. The problem of setting the lengths began with a considerable difference of opinions in episode 6-3, which was resolved in episode 6-4. In contrast, episodes 6-5 and 6-7 show relatively smooth elaborations of ideas. Episodes 6-4, 6-6, and 6-8 are also interesting because of the new ideas introduced there. In Episode 6-8, the participants negotiate a close to the problem solving activity. The analysis of these episodes focuses on the means by which collaborators introduce and accept ideas into the JPS, monitor emerging interpretations, and maintain the JPS by repairing divergences in understanding.




Figure 3: Settings of the vectors during key episodes

<u>Episode 6-1</u>. In the opening moments of the challenge, the subjects watched motion in the observable world. Both partners simultaneously tried to make sense of a kind of motion they had not yet encountered during any of the previous challenges in the session. Although both partners were engaged, their discourse signalled that they did not yet share the same conception of the challenge.

\_

<sup>&</sup>lt;sup>2</sup> Transcripts are presented using notation found in Suchman (1987). Appendix 1 describes the notation.

```
1
    G: Challenge six.
                                          S reaches for mouse, G gives
                                          it up, S now has mouse for
                                          remainder of challenge
    S: OK.
                                          Runs simulation. Observable
                                          World shows challenge 6
                                          -ball toss, straight up.
                                          Newtonian World shows random
                                          curve
    G: This one's gonna be a curve. No
       maybe not. (1.5) Oh::: ((falling
       intonation)) (2.0)
    S: It's the acceleration is in the
4
       opposite direction to start
       with.
                                          stop simulation
5
    G: How can they make a, (.) a double
       acceleration?
    S: See it for a second.
6
7
                                        motions up then down with
    G: Oh they make it go a::ht
                                          finger tip
8
    S: (()) the first one.
                                          gestures up
      [
9
    G: Let's see that again. Let's see
       that again.
    (6.0)
                                          S resets, runs, NW still
                                          random curve
```

At the beginning of this challenge, Gary predicted what kind of motion he thought the ball would take (line 3). Upon actually seeing the model run, Sam correctly identified the correct relationship between the directions of the velocity and acceleration vectors: that they should be opposite (line 4). Although his statement is somewhat ambiguous (he could have the direction of the velocity wrong, but the relationship between velocity and acceleration right), his later actions clarified his intent as he set the velocity pointing straight up and the acceleration straight down.

Gary's next utterance occurs as an overlap of Sam . By this interruption, he did not directly accept Sam's idea that the vectors should be opposed, rather he stated his own conception of the problem (line 5). His question about "double acceleration" suggests that he had a different idea. Sam's statement (line 6), instead of answering Gary's question, directed Gary's attention back to the computer simulation. By restating Sam's utterance, Gary agreed to watch the simulation a second time (line 9).

<u>Episode 6-2.</u> The opening episode was followed by a period in which Gary & Sam coordinated their conception of the problem as being one in which the velocity and acceleration arrows are in opposite directions, and set the arrows accordingly (Figure 4).

```
10 G: Oh ok. (2.0)
                                          points to screen and
                                          gestures up
11
    S: Yeah, I know what they're doing.
                                          resets
       Ok. First,
12
    G: just need to get everything.
       (2.5)
13
    S: Right abou::t there::=
                                          sets initial position bottom
                                          center, the correct location
14
    G:
                            =That looks
       good.
       (2.0)
15
    S: Ok, so we wanna be cool. (3.0)
       Just for now is
       (2.0)
16
  S: Oh.
                                          points velocity vector
       (4.0)
                                          upwards
17 S: Ok.
                                          sets acceleration vector
       (2.0)
                                          downwards
    S: So:: that one's pretty long.
18
                                          makes velocity shorter
       And this one right here is going
       (.) ba::ck (.5) like that.
       (3.5)
                                          runs simulation, NW goes
                                          straight-up/down but speeds
                                          don't match
19
   S: Ooh we almost got it=
20
                           =Initial
                                          S stops simulation
       acceleration is too::: slow and
       maybe real (.5) our initial speed
       is too slow and maybe
       acceleration isn't good either.
    S: Ok we, we, we got the general:: S resets simulation
21
22
   G: Hi
                                          G waves at camera. Laughs.
       (2.0)
23 S: Hi mom.
                                          S waves at camera, laughs.
       (4.0)
```

After they watched the simulation again, Gary said "Oh, ok" (line 10) which Sam interpreted as an acceptance of his original idea that the velocity and acceleration should be set in opposition. Sam then began using the mouse to carry out this idea. Although Gary was not contributing to the discourse during this time, he was watching Sam's actions on the screen. Sam's narration as he worked (lines 11-12) allowed Gary the opportunity to comment at any point should he have disagreed. At line 19, after Sam had run the simulation with the arrows opposite, he announced "we almost got it." This utterance reflected Sam's general satisfaction with the shape of the motion. Gary's next utterance (line 20) treated Sam's statement as an invitation to refine the standard for success; he suggested further changes that fit within the framework of setting the arrows opposite via the term "initial speed" and "acceleration." Because this

utterance pushed for more detail within the context of what had already been accomplished, it is both an acceptance of past work and presentation of a proposal for future refinement. In this statement, Gary produces a "self repair" (see Schegloff, Jefferson, & Sacks, 1977) in which he corrects the initial part of the utterance, "initial acceleration" to be "initial speed." Sam's response (line 21) deflected Gary's suggestion by referring back to what they had already accomplished (getting the shape right). The episode ended with a brief period of off-task activity, in which Gary & Sam waved at the camera (lines 22 & 23). Off-task behavior was fairly rare in Gary & Sam's sessions.

These first two episodes set the context for the rest of the challenge. On one hand, the partners had agreed on the basic configuration of the arrows to match the Observable World motion (see Fgure 4). On the other hand, they had not agreed on how to adjust the lengths of the arrows to achieve a closer match with the target motion. In particular, their particle did not match the speed and height of the target motion.




Figure 4: Motion at the end of Episode 6-2 (Particles shown reset to their starting location)

<u>Episode 6-3</u>. This episode marks the beginning of a divergence of the partners' ideas about how to set the length of each arrow in order to achieve a closer match between the model and the particle. Throughout this episode, the students were working on different conceptual problems and they were talking more to themselves than to each other.

```
24 S: Oh, if we could get rid of one of makes velocity longer
       those things. (2.0)
       I'm just doing that so I can see
       what's in there. (2.0)
25
    S: Ok, this one
       (9.0)
                                         makes velocity shorter, runs
26
    S: Ok this one's too great. Yeah.
                                         stops, resets simulation
27
    G: Initial speed isn't good enough.
       Αw
              [
28
    s:
               Ok (?)
29
   G: You can't tell.
30
    S: Now that looks fine. that's I
       think=
31
    G: =Initial speed is fine?
32 S: Just make this one smaller.
                                         makes acceleration shorter
    G: Wait you know we could use
33
       particle one to (.) test the
                                         G points to screen, looks at
       initial speed an::
                                         S, gestures up
34 S: now this
35 G:
           Oh we couldn't convert it to
       a particle two.(1.5)
36
    S: Now ok.
                                         runs
       That's slightly too much. It
       should come back.
37
    G: hhh. eventually.
38
   S: Ok (.) so:: (1.0) reset maybe
                                         stops, resets
       make this one small
                                    [
39 G:
       It's hard to tell the difference
       between (2.0) initial speed
       an:::d acceleration.
       (4.0)
                                         S clicks on a vector but
                                         makes no change, runs
   S: Aw:: I don't think that did
                                         stops, resets
       anything.
```

In this period of divergence, Sam continued to search for the correct solution by experimenting with different lengths for the vectors. During this search he occasionally reported on his work. Meanwhile, Gary's utterances show that he was working on a conceptual problem: distinguishing initial speed from acceleration. Both participants already understood many differences in the two concepts—they know that each maps onto a different arrow, that the arrows do not have symmetrical effects, and that in this particular challenge the velocity arrow is up, while the acceleration is down. Thus, it seems fairly certain that Gary was trying to make a particular conceptual advance. That is, he wanted to find a principle that would determine the correct length of each vector. This is reflected in Gary's statements, "you can't tell" (line 28) and "it's hard to tell the difference between initial speed and acceleration" (line 39). His first idea

of how to do this using the particle without acceleration was a good one (line 33). One could use this particle to match the *initial* motions of the Observable World and Newtonian World, because the initial motion is determined by the velocity vector alone. Then having fixed the velocity, one could focus on the acceleration. This would be a more systematic approach than Sam was following. Gary used a question (line 31), an interjection (line 33), and a comment (line 39) to try to get Sam to think about the different effects of velocity and acceleration arrow lengths. Sam's verbalizations, however, were not responses to any of Gary's comments during this time. Instead, he used his turns to report on his actions.

The lack of smooth turn-taking in this episode shows that each participant was talking out loud to himself more than to the other. The divergence between the subjects' work continued and culminated in a breakdown in the interaction. Gary eventually disengaged himself from the task (as can be seen by his verbal unresponsiveness) and began to play with the microphone:

```
41
    S: Ok so we're gonna try another one
                                          makes acceleration bigger
       hhhere
       Oops wrong one (.) this down? (.) makes velocity smaller,
       This one up.
                                          acceleration smaller
       (4.5)
    S: Maybe its slightly
                                          clicks on vector but no
42
       (9.0)
                                          change.
                                           runs
                                          G moving microphone around
43
  S: That's cool.
                                          stops, resets
```

<u>Episode 6-4</u>. Although Gary was disengaged with the task while he played with the microphone, his focus eventually returned to the screen and to Sam's running commentary. In this episode, Gary and Sam became re-engaged in sharing ideas through discourse and action. Through coordinated presentations and acceptances, they began to converge on a shared conception of the properties of the lengths of the vectors.

```
G: hhh. (.5) Acceleration:: should
       be increased and (.) Is it going
       up at a good rate?
45
    S: We could change it.
                                        makes velocity longer
    G: Is it going up too slow or too G turns to S
46
       fast?
47
    S: Too slow.
    G: Ok so increase the initial speed G gestures up
                                [
                                         runs
49
   s:
                                   Ι
       did=
50 G: =and:::=
              =OK, now maybe this one we
51
       might get it.
52
             uh now you need to increase
       the acceleration too.
53 S: Yeah, ok. (1.0) Uh. (1.5)
                                    glances at G, stops, resets
```

In this section, Gary and Sam renewed a higher level of collaborative engagement. It is interesting to examine the structure of this successful interchange. Gary started by asking a question (line 44) that directed focus to a part of the motion using shared terminology. Sam's response (line 45), an answer to Gary's question, indicated a willingness to share the activity. This willingness contrasts sharply with his previous lack of attention to Gary's utterances. In the next two exchanges, Gary orchestrated the construction of a shared concept corresponding to initial speed. The form of this discourse is interesting. First, Gary specified a particular attribute of the motion. He again framed this statement as a question (line 46). Sam again responded appropriately and provided the value of the attribute (line 47). Gary's statement in the next turn (line 48) had two overlapping effects: it named an action to be taken (increase velocity) and named the object of that action "initial speed." In his next turn (line 49), Sam confirmed the interchange both by his verbal response and his subsequent actions with the mouse.

This discourse event has the structure of a Socially-Distributed Production. This particular SDP was presented in installments by G, with acceptances in intervening turns from S. The production could be paraphrased:

IF the Goal is to adjust the initial speed, and the speed "going up" is too slow, THEN make the velocity vector bigger.

The content of this SDP is a qualitative proportionality between the initial speed and the length of the velocity vector. This understanding is a breakthrough for the collaborators because it connected the length of the velocity vector to a local part of the motion: Before this SDP, Gary & Sam had used the term "initial speed," but they consistently used it only as a name for the velocity vector. This use is distinct from the use of "initial speed" to refer to the speed at the beginning of a motion. By connecting the name of the arrow to the speed at which the motion begins ("going up"), Gary & Sam connected the length of the vector to a property of motion. They then adjusted the vector to a close approximation of the correct length (see Figure 3c).

While Gary is the first to give verbal expression to this idea (line 44), it is not clear who originated the idea. In the time period directly preceding his utterance, Sam had been engaged in extensive experiments with the lengths of the vectors. Gary could have been giving verbal expression to an idea that originated in the Sam's experiments with the computer. This interpretation is supported by the fact that Sam was already adjusting the vector appropriately even as Gary was completing the SDP. However, given the nature of the data, we cannot draw definite conclusions about the originator of the idea. Regardless of originator, this episode did mark a convergence in the partners' understanding of the meaning of the length of the

velocity vector. This convergence persisted throughout the remainder of the challenge, the session, and into the interview that followed.

<u>Episode 6-5</u>. Following the successful re-engagement in the shared conception of the problem, the partners continued a period of mutually shared activity that extended to the end of the challenge. This episode is different from the previous ones in that the students are more mutually engaged in the task. Further, they are working out simple procedural details rather than new concepts. Specifically, they worked on a shared interpretation for the length of the acceleration vector. This reflects both partners' satisfaction with the length of the velocity vector determined in the previous episode.

```
54
    S: Ok:: so (.5) this one goes down
                                        clicks on acceleration but
       right there. (2.0)
                                        makes no change, runs
55
    S: That might not be enough.
                        It might take a
       little more than that. (.5) yeah.
   S: Ok:: (4.0)
57
                                        stop, reset
58 S: What about there? (1.0)
                                        makes acceleration longer
59
   G: OK
60
   S: Well that's too much.
                                        makes acceleration shorter
       Definitely.(3.0)
61
    G: hhh. here bring it down there
      we'll see how it is. (4.0)
62 S: Is it going down?
                                        clicks twice, but no change,
                                        clicks again makes
                                         acceleration longer
63 G: Yeah it is.
64 S: Is that good?
65 G: Yeah try it.
66 S:
              I:: I'm pretty sure it's
                                        runs
       gonna be way too much for (2.0)
67
   S: Yeah, ok. (1.0)
                                         stops motion only part way
68
    G: Oh, way too much.
       (16.0)
                                        resets, makes acceleration
                                        smaller, runs
69
    G: Oh, so close. (1.0)
                                        stops
70 S: OK (1.0) I have
                                        resets
71 G:
                 How come it took so
       fa::r (.) uh so long to get back
       down (.) maybe (.)
       acceleration:: (.) (looks at S)
       :::up speed down. (1.0)
72
    G: Doesn't do anything does it? clicks but no changes, runs
       (2.5)
73 G: Turn off the record hhhh (5.0) stops, resets
74 S: Ok. (.) Top one make it go down. clicks but no changes
       (.5) Top one. (2.0)
```

```
75 S: Okay::: Start.
                                         runs
       (11.0)
                                         stop at top of screen on way
                                         up, makes velocity, smaller,
                                         then larger, velocity now
                                         unchanged from last run
76 G: That's good yeah that's good.
   S: Good? Just gonna try it. (3.0)
77
                                         runs
78 S: Mmm::
                                         stops, resets
79 G: Maybe more acceleration?
80 S: Ok, well let's reset (mess with?) makes velocity shorter, runs
      this first (3.0)
81 S: OK::: ((very low rumble))
           (6.0)
```

The shared nature of their work during this episode is evidenced in the data in many ways. For example, most of the conversational turns following the statement of a new idea included an acceptance. The students used questions to elicit the consent and involvement of their partner in shared decision-making. The acceptances were sometimes explicit (e.g. lines #54, 57, 59) and sometimes implicit but clearly marked by the discourse structure. One such implicit acceptance was Gary's restatement of Sam's previous utterance ( line 56). Furthermore, even though Sam was still in control of the mouse, the control of the activity was shared. This is nicely illustrated in the part of the dialog that begins with "Here bring it down there" (line 61). Upon hearing Gary's utterance, Sam began to move the tip of the acceleration vector downwards. While doing so, he involved Gary in the hand-eye feedback loop ("Is it going down?") enabling the pair to co-determine the setting of acceleration . (S: "Is that good?" G: "Yeah try it.")

Another difference between this episode and the preceding ones is that the content of the conversation no longer reflects differences in interpretation — the participants were now working out procedural details. This is not to say that Sam and Gary *completely* share a common understanding of the task. As evidence to the contrary, note that Sam's acceptances lack the kind of paraphrasing and elaboration that are often used to signal that participants fully comprehend each other (see Clark & Schaefer, 1989). It seems that at this point, Sam was just beginning to appreciate Gary's point of view. Nonetheless, as the activity unfolded, the understanding became sufficient for the partners to make two additional advances in their physics knowledge.

<u>Episode 6-6</u>. In this episode, Gary interrupted the current activity to suggest a refinement to the shared understanding of the length of the velocity vector. His refinement connected the length of the velocity vector to the spacing of the dots in the beginning of the motion. This was the first time that the spacing of dots was given a local interpretation. (Roschelle, 1991, provides a detailed discussion of the difficulties that students experience in registering the features of the EM display as a scientist would).

```
85 S:
                    =wanna see how much S points to screen
       we're off
86
    G:
       we should compare those. (1.0)
                                         points to dots in OW
       Now make it go up
                                         gestures up
       and compare those and:: (.)
                                         slides finger to NW,
                                         gestures up
       um:: hhhh. () see what the set
                                         slides finger back to OW,
       off rate is=
                                         gestures up, brings hand to
                                         his lap
87
   s:
           =Oh yeah ok. (1.0) So this
       is greater. () This is way
                                         moves mouse so mouse-cursor
       greater. Just look at that.
                                         is in OW and shakes it.
       Good= (())
                                          ((interpretation: comparing
                                          dot spacing, wider in OW
                                          than NW))
88
    G:
                           =So we need
       a higher speed?
89
    S: Yeah. (1.0)
90
    S: So maybe like:: (.) tha::t.
                                         makes velocity longer
91
    S: And make=
92
    G:
               =Maybe::=
93
                       =this one like:: makes acceleration longer
    s:
       (.) tha::t=
94
    G:
            =Now drop it ? (1.0)
                                         voice drops off to inaudible
95
    S: Is that good? (.) Yeah
    G: try it.
       [
97
    S: maybe. (1.0)
                                          runs
```

The discourse and the sequence of actions in this episode provide an interesting example of how partners get new ideas introduced and accepted into an established course of action. Gary marked his new idea by entreating Sam to pay attention ("wait"), and asking, "You know what we can do?" (line 82). This question was a signal to Sam that something new was to follow. However, Sam did not respond to the question. Gary then asked him directly to "stop, stop" and resorted to clicking the mouse (which had up to this point been completely in Sam's physical control). At this point, Sam was still engaged in the previous course of action and began to justify what he was doing (lines 85 &85). Gary interrupted (line #86) to offer the new idea. When he said, "We should compare those," he referred to the trace dots that the particles leave behind as they move across the screen. As the spacing of the dots is an indication of speed, comparing dot spacing at the beginning of the motion is one method for determining the correct value of the velocity vector.

The idea of basing decisions on a comparison of dots was introduced by Sam in an earlier challenge, but until before this time the spacing of dots had not been given a local interpretation — Gary & Sam had compared *all the dots* in the Observable World to *all the dots* in the Newtonian World. The structure of Gary's utterances shows that he had considerable difficulty expressing his idea, as he paused and interrupted himself several times. The gestures that accompany the idea, on the other hand, were quite clear: he pointed to the first few dots in the Observable World and gestured up, then pointed to the first

few dots in the Newtonian World and gestured up, and pointed again to the dots in the Observable World (See Figure 5) While his verbal expression "compare those and see what the set of rate is" (line 86) was possibly difficult to interpret, the combination of verbal expression and gesture were enough for Sam to make the correct inference. This is indicated by Sam's subsequent acceptance ("Oh yeah OK") and elaboration of the appropriate feature, the spacing between the initial dots ("this is way greater"). This elaboration leads into a SDP which expressed the qualitative proportionality between the dot spacing and the length of the velocity vector. (lines 87 &88). This SDP can be stated as:

IF the goal is to adjust the initial speed and, the initial dot spacing is greater,

THEN make the velocity vector longer.

Another important point about the interaction during this episode is that both participants were using the association between the length of an arrow and its effect transparently. For example, when Gary suggested making the initial speed *faster* (line 88), Sam took the action of making the vector *longer* (line 90). As the discourse proceeded, reference to the length of vectors dropped out in favor of references to the effect of changing the length.

The end result of Gary's interruption in this episode was the construction of a important new piece of shared knowledge: the qualitative proportionality between the local dot spacing and the local (instantaneous) speed. This shared interpretation of local dot spacing was confirmed in the interview that followed the task. The process of the construction is also important because it illustrates how participants utilize a combination of linguistic, gestural, and physical resources (the computer screen and the mouse), in order to introduce new ideas into the collaboration.




Figure 5: Spacing of Dots Shows Difference in Initial Speed

<u>Episode 6-7</u>. In this episode the partners continued to work together to refine the match between the Newtonian and Observable World motions. In addition, Sam introduced the idea that the vectors could only be moved in discrete amounts. This helped Gary & Sam regulate their search for the correct lengths of the vectors.

```
98
    S: Ok see how the acc (.) initial
       (1.5) oooh closer and see how
       much we're off=
99 G:
                     =Our acceleration stops, resets
      might be too high. (3.0)
100 S: Ok. This is gonna be a li::bit clicks but no change
       less.
101 G: Didn't do anything.
                                         S makes acceleration
       (14.0)
                                         shorter, runs, stops, resets
102 S: Wants to be cool=((?))
103 G:
                      =it's higher?
       (13.0)
                                         clicks four times, no
                                         changes
104 S: Oh.
                                         shakes head
           (13.0)
                                         runs, stops, resets
105 S: Ok. (5.0)
                                         moves face right up against
                                         screen
106 G: hhh. (3.0)
107 S: There right about::? (1.0) makes acceleration longer
108 G: Drop it there.
109 S: There?
110 G: Yeah.
111 S: No, up. I can you can see the
       degrees if you look closely
                                         clicks but no change
       enough. (.5) One more degree.
       There.
                                         runs
       (4.0)
112 S: uh? Ok. (2.5)
                                         stops, resets
113 G: Maybe higher initial speed?
114 S: I'm gonna change the degree one
       an (.) makes the initial (.)
115 G: Aah::=
                                        falling intonation
       =speed go up by one. (.5)
116 S:
                                        clicks but no changes
       Wait. (6.0)
                                         runs
```

Like episode 6-5, this episode was marked by fluid turn taking and mutual engagement in the task and decision making. They conducted 5 runs, each time making slight changes in the vectors. Notice in particular the smooth use of the QP between length and speed (lines 113 - 116). Also, at one point (line #105) Sam moved physically closer to the screen to be better able to perceive the precision of the vector movements. While doing so, he made an important contribution to the task — he introduced the idea that the vectors are adjustable only in discrete units ("see the degrees," line 111) and that they could therefore adjust the vectors one unit at a time. This strategy gave the participants better control over trial and error problem solving.

<u>Episode 6-8</u>. This episode shows the negotiation of the challenge ending. This was typical of all challenges during this session; the successful completion of a challenge was jointly determined by the participants. Also during this episode the participants construct a qualitative proportionality between height of a trajectory and the length of the velocity vector.

```
117 S: hh Ok=
                                         stops
          =It looks pretty good
118 G:
       just(.)didn't go up high
       enough.(.5)
119 S: Yeah ok so::=
                                         resets
120 G:
                  =maybe increase the
       speed.
121 S: Ok. (5.0)
                                         makes velocity longer
122 S: There::: (6.0)
                                         falling intonation, runs
123 S: Almost::=
                                        falling intonation
              =Close enough.
124 G:
                                         OW and NW motion match
                                         except NW initial position
                                         is one square too high
125 S: Wait here I want to do one thing.
    (2.5)
126 S: Reset. (4.0)
                                         resets, clicks but no change
127 G: ((inaudible)) (.) There. Saw it
       move. (7.0)
128 S: Yes. We got it perfect.
                                         looks at G, moves face back
                                         from screen
129 G: Perfect.
                                         G puts hand on top of S's
                                         hand on mouse
                                         They go on to the next
                                         challenge
```

Episode 6-8 began with Gary making an evaluation of the current state of the problem and what remained yet to be solved (line 118). This proposal took the form of a SDP that expressed the proportionality between the height of the ball's path and the initial speed. It is likely that Sam already recognized this relationship, because he had adopted a procedure of stopping the simulation as soon as the particle went too high. Once again, while the originator of the idea is uncertain, Gary was the first to verbalize it.

Toward the end of this episode, Sam noted (line 123) that they "almost" had a solution, and Gary responded (line 124) that he was satisfied with the degree of success that they had attained. In fact, the two motions had exactly identical velocities and accelerations, but the initial position in the Newtonian World was about a centimeter too high (see figure 3d). Sam announced that he wanted to, "do one more thing" and, receiving no objection from G, he proceeded to make one further adjustment. Although, he moved the particle downwards, he did not move it enough for the simulation to recognize the change. Nonetheless, after this change, both partners agreed that their solution was "perfect."

The challenge closed on this note of mutual satisfaction. The participants' pride in their performance during this challenge was also apparent in the interview that followed the session: Gary started out the interview by saying, "Do you wanna see number six? Probably one of our most famous ones."

#### Conclusion

Our perspective has characterized collaboration as a process of constructing and maintaining a Joint Problem Space. The JPS evolves through the coordination of communication, action, and representation use in the context of solving EM challenges. Our analysis of challenge six illustrated how coordinated production of talk and action by two participants enabled this construction and maintenance to succeed. The students used language and action to overcome impasses in shared understanding and to coordinate their activity for mutually satisfactory results. But as this analysis made clear, the process of collaborative learning is not homogeneous or predictable, and does not necessarily occur simply by putting two students together. Students' engagement with the activity sometimes diverged and later converged. Shared understanding was sometimes unproblematic and but oftentimes troublesome. The introduction of successful ideas was sometimes asymmetric, although it succeeded only through coordinated action. These results point to the conclusion that collaboration does not just happen because individuals are co-present; individuals must make a conscious, continued effort to coordinate their language and activity with respect to shared knowledge.

The inherent fragility of the collaborative learning process has lead us to consider the resources collaborators employ to surmount difficulties that arise in the course of working together. As our analysis has shown, the most important resource for collaboration is talk. Collaborators use the overall turn-taking structure of talk, as well as specific discourse forms such as narration, questions, social-distributed productions, and repairs in service of their mutual understanding. These discourse forms allowed the students to produce shared knowledge, to recognize divergent understandings, and to rectify problems that impeded joint work. Language, however, does not occur in a vacuum. Dewey (1916) put it succinctly, "Language would not be the efficacious instrument it is, were it not that it takes place upon a background of coarser and more tangible background physical means to accomplish results."

We see the "computer-supported" contribution to collaborative learning as contributing a resource that mediates collaboration. In ordinary circumstances, one cannot imagine two 15 year olds sitting down for 45 minutes to construct a rich shared understanding of velocity and acceleration. But in the context of the support provided by the Envisioning Machine activity, our students were successful in doing just that. This leads one to ask: how do resources provided by the computer support collaboration?

Our data suggests several possible answers, all which support a mediation perspective<sup>3</sup> First, we observed the use of the computer as a means for disambiguating language. Gary & Sam do not have a precise, technical vocabulary for talking about motion so they used the objects in their physical situation to support their talk. For example, in the introduction of the idea of comparing dots in episode 6-6, the students used the computer display as a means for establishing shared references. In addition, their maintenance of a shared focus of attention on the computer screen enabled efficient, but ambiguous expressions such as "make it more" to be correctly interpreted. The computer interface also provided an alternate means for producing conversational turns: actions with the mouse could be interpreted as nonlinguistic presentations and acceptances of ideas. Second, we observed the use of the computer activity as means of resolving impasses. When students had differing opinions, as in the beginning of challenge six, they resolved their differences by trying out the ideas and seeing what worked. When students had insufficient ideas to progress, as in episode 6-3, they could resort to experimentation with the computer as a means for generating new ideas. Third, we saw that the computer was a device that invited and constrained students' interpretations. The EM display was carefully designed to suggest appropriate interpretations. An instance of suggestion occurs in the beginning of challenge six, when Sam saw the new motion and leapt to the idea that the arrows should be opposite. But all the interpretations suggested by the EM representation are not necessarily appropriate, nor are the constraints embedded in the computer simulation necessarily strong enough to limit students to a single interpretation.

Our analysis of computers as a mediating tool in collaborative learning has direct implications for student model building. Following VanLehn (1990), we find it useful to distinguish two roles for student models in learning environments: (a) student models as a conceptual resource for better understanding how student learn and (b) student models as an engineering technology for building adaptive systems. With respect to the former point, we have argued that communication, activity, and representation are mutually constitutive. Given the broad recognition among historians, philosophers, and sociologists of science that science proceeds as a social and physical activity, future work that takes a unified perspective towards communication, activity, and representation will be especially important to our understanding of how students learn science. Moreover, such unified analyses to contribute to the current interest in building learning environments to support collaborative learning. We have shown that, by drawing on existing theory and methods in Conversational Analysis, Activity Theory, and Cognitive Modelling, researchers can begin constructing analyses of collaborative learning that incorporate notions of social interaction, physical activity, and cognition.

Moreover, engineering approaches that incorporate student models will benefit from careful study of students' interaction. We suspect that the prospects for constructing adaptive student models in computers will be stronger if computer design advances from a fidelity-oriented to a mediation- oriented

<sup>3</sup> These observations were first reported in Singer, Behrend and Roschelle (1988). We thank Janice Singer for her contributions to this work.

perspective. We have noted that fidelity in the form of correspondence between the EM display and expert's models does not sufficiently constrain students' interpretation of the display — students' interpretations of the display are diverse and often divergent from those of experts. If it is hard for students to get their own concepts in correspondence with scientific concepts, then we expect it is even harder to get an computer's internal representation in correspondence to students' concepts, at least when the topic is as rich as learning to model motion with Newtonian concepts.

On the other hand, we have noted that Gary and Sam were very successful in constructing and maintaining a shared understanding of the EM. This dyad demonstrates that students have powerful resources for constructing shared knowledge, and that these resources integrally involve attunement to the strategies that are used in everyday talk: turn-taking, narratives, repairs, combinations of language and action, etc. Gary and Sam communicated using multiple conversational resources — rhythm, intonation, synchronization, body language, etc. — and not just proposition contents. Moreover, in the context provided by the EM display, Gary and Sam were able to apply their full wealth of communicative resources to the problem of constructing a Joint Problem Space. The EM display supported this effort in a mediational role, by providing an enriched background for students' talk and action. Thus computers can enable students to use the powerful resources of everyday conversation to converge on robust shared meanings for technical concepts. Greater awareness of the structure of collaborative learning and the resources for negotiation of meaning should lead designers beyond the fidelity perspective, to the richer mediational perspective for the design of computer tools that enable learning in social activity.

#### References

- Bobrow, D.G. (Ed.). (1986). Qualitative reasoning about physical systems, Cambridge, MA: MIT Press.
- Clark, H. & Schaefer, E. (1989). Contributing to discourse. Cognitive Science, 13, 259-294.
- Dewey, J. (1932). Democracy and education. New York: The Macmillian Co.
- diSessa, A. A., Hammer, D. M. Sherin, B., & Kolpakowski, T. (in press). Inventing graphing: Children's metarepresentational expertise. *Journal of Mathematical Behavior*, 10(2).
- Engström, Y. (1987). Learning by expanding: An activity-theoretical approach to developmental research. Helsinki: Orienta-Konsultit.
- Ericsson, K.A. & Simon, H.A. (1984). Protocol analysis: Verbal reports as data. Cambridge, MA: MIT Press.
- Goodwin, C. (1981). Conversational organization: Interaction between speakers and hearers. New York: Academic Press.
- Knorr-Cetina, K.D. (1981). The manufacture of knowledge: An essay on the constructivist and contextual nature of science. Oxford: Pergammon Press.
- Latour, B. (1986). Visualization and cognition: Thinking with eyes and hands. Knowledge and Society: Studies in the Sociology of Culture, 6, 1-40.
- Lerner, G.H. (1987). Collaborative turn sequences: Sentence construction and social action. Unpublished Ph.D. dissertation, University of California, Irvine, CA.
- Levinson, S. (1983). Pragmatics. Cambridge: Cambridge University Press.
- Lynch, M. (1985). Discipline and the material form of images: An analysis of scientific visibility. *Social Studies of Science*, *15*, 37-66.
- Mead, G. H. (1934). Mind, self, and society. Chicago: University of Chicago Press.
- Meira, L. (1991). On the transparency of concrete materials: The case of learning linear functions. Paper presented at the annual meeting of the American Educational Research Association, Chicago, IL.
- Moschkovich, J. (1991). Structuring peer discussion and computer exploration of linear functions. Paper presented at the annual meeting of the American Educational Research Association, Chicago, IL.
- Piaget, J. (1932). The moral judgement of the child. Glencoe, II: Free Press.
- Roschelle, J. (1991). Students' construction of qualitative physics knowledge: Learning about velocity and acceleration in a computer microworld. Unpublished Ph.D. dissertation. Berkeley, CA: University of California.
- Roschelle, J. (1990). Designing for Conversations. Paper presented at the AAAI Symposium on Computer Based Environments for Learning and Teaching, Stanford, CA.
- Roschelle, J. (1986). *The Envisioning Machine: Facilitating students' reconceptualization of motion.* Draft manuscript, Xerox Palo Alto Research Center, CA.

- Schegloff, E. A. (in press). Conversation analysis and socially shared cognition. In L.B. Resnick, J. Levine, & S. D. Behrend (Eds.), *Perspectives on socially shared cognition.* Washington, DC: APA Press.
- Schegloff, E. A. (1981). Discourse as an interactional achievement: Some uses of "uh huh" and other things that come between sentences. In D. Tannen (Ed.), *Analyzing discourse: Text and talk.* Georgetown University Roundtable on Language and Linguistics. (pp. 71-93). Washington, DC: Georgetown University Press.
- Schegloff, E. A., Jefferson, G., & Sachs, H. (1977). The preference for self-correction in the organization of repair in conversation. *Language*, *53*, 361-382.
- Schoenfeld, A.H., Smith, J.P, & Arcavi, A. (in press). Learning: The microgenetic analysis of one student's evolving understanding of a complex subject matter. In R. Glaser (Ed). *Advances in instructional psychology (vol. 4)*. Hillsdale, NJ: Earlbaum.
- Suchman, L.A. (1987). Plans and situated action. New York: Cambridge.
- Singer, J., Behrend, S. B. & Roschelle, J. (1988). Children's Collaborative Use of a Computer Microworld. *Proceedings of the Conference on Computer-Supported Collaborative Work* (pp. 271-281). New York: Association for Computing Machinery.
- Van Lehn (1990), K. *Do we need better cognitive models in order to teach better?* Presentation at AAAI 1990 Spring Symposium on Knowledge-Based Environments for Learning and Teaching, Stanford, CA, March 27.
- Vygotsky, L.S. (1978). Mind in society. Cambridge, MA: Harvard Press.
- Wersch, J.V. (1981). The concept of activity in Soviet psychology. Armonk: NY: M.E. Sharpe.
- Wilkes-Gibbs, D. (1986). *Collaborative processes of language use in conversations*. Unpublished doctoral dissertation, Stanford University, CA.

# **Appendix**

## Notation

[	Bracket indicates a point at which a current speaker's talk is overlapped by the talk of another, with overlapping talk directly beneath.
:	Colons indicate a lengthened syllable, the number of colons corresponding to the extent of lengthening
?	Question intonation.
	Full stop with falling intonation.
=	Equals sign indicates no interval between the end of a prior and the start of a next piece of talk.
.hh	Audible breath. Dot before indicates in breath. No dot indicates outbreath.
( )	Words enclosed in parenthesis indicate either non-linguistic action, or transcriber's uncertain over verbatim.
(( ))	Double parenthesis indicates features of the audio other than verbalization, or note from the transcriber.
(0.0)	Numbers in parenthesis indicate elapsed time in tenths of a second.
(.)	Untimed pause.
OW	Abbreviation for "Observable World."
NW	Abbreviation for "Newtonian World."